

IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claims 1-78: Cancelled

79. (Currently amended) A dermatologic treatment apparatus comprising
a light source providing light of ~~at least 4-~~100 J/cm² at a target area of a
human and having sufficient fluence to effect a hair-removal dermatological
treatment at a the target area ~~on a human~~;

optical apparatus, having an outlet, that communicates the fluence
substantially across the outlet, and

an optical diffuser that diffuses the light so that the light emitted from the
apparatus is eye safe.

80. (Currently amended) The dermatologic treatment apparatus of claim 79
wherein the fluence is sufficient that the hair removal is ~~at least temporary~~
permanent.

81. (Previously presented) The apparatus of claim 79, wherein the optical diffuser
comprises at least one of a group including a transmissive diffuser and a reflective
diffuser.

82. (Previously presented) The apparatus of claim ~~80~~ 79, wherein the optical
diffuser is a transmissive diffuser and comprises a bulk scattering diffuser medium.

83. (Previously presented) The apparatus of claim ~~80~~ 79, wherein the optical
diffuser comprises at least one of a group comprising a refractive material, a
diffractive material, a material having random surface irregularities, and a material
having a patterned surface.

84. (Previously presented) The apparatus of claim 79 wherein the optical apparatus distributes the light substantially uniformly across the outlet.
85. (Previously presented) The apparatus of claim 79, wherein the light source includes one or more diode lasers.
86. (Previously presented) The apparatus of claim 85, wherein the one or more diode lasers includes one or more laser diode bars each comprising multiple laser diode emitters.
87. (Previously presented) The apparatus of claim 79, wherein the light source comprises one or more flashlamps.
88. (Previously presented) The apparatus of claim 79, wherein a principal optical axis of light emitted from the light source striking the diffuser is not parallel to the normal of the surface of the diffuser.
89. (Previously presented) The apparatus of claim 88, wherein the light source comprises one or more laser diode bars.
90. (Previously presented) The apparatus of claim 79 wherein the light source provides pulses of light.
91. (Currently Amended) The apparatus of claim 90 wherein the fluence of the each pulse at the target area is between 4 J/cm^2 and 100 J/cm^2 .
92. (Previously presented) The apparatus of claim 79 wherein the light is primarily within a spectral band of 500 nm to 1100 nm.
93. (Previously presented) The apparatus of claim 90 wherein the pulses have a pulse duration between 10 milliseconds and 1 second.

94. (Currently amended) A dermatologic treatment apparatus, comprising
a light source providing pulses of light having an output fluence of at least 4-
100 J/cm² at a target area of a patient and having sufficient fluence to cause hair
removal at a the target area of a patient; and
optical apparatus for distributing light from the light source substantially
uniformly across an input of a diffuser wherein the diffuser diffuses the light
sufficiently to cause the apparatus to be eye-safe while maintaining sufficient
fluence to cause hair removal at the target area of a patient.
95. (Previously presented) The dermatologic treatment apparatus of claim 94
wherein the diffuser has substantially the same area as the input.
96. (Previously presented) The dermatologic treatment apparatus of claim 94
wherein the diffuser is larger in area than the input.
97. (Previously presented) The apparatus of claim 94 wherein the light source is
divergent.
98. (Previously presented) The apparatus of claim 97 wherein the light source
comprises one or more diode lasers.
99. (Previously presented) The apparatus of claim 98, wherein the one or more
diode lasers includes one or more laser diode bars each comprising multiple laser
diode emitters.
100. (Previously presented) The apparatus of claim 94, wherein the light source
comprises at least one flashlamp.

101. (Previously presented) The apparatus of claim 94, wherein the optical apparatus distributes light from the light source across substantially all of the diffuser.

102. (Currently amended) The apparatus of claim 94, wherein the fluence of each pulse is between 4 J/cm^2 and 100 J/cm^2 .

103. (Previously presented) The apparatus of claim 94, wherein a principal optical axis of light emitted by the light source striking the diffuser is not parallel to the normal of the surface of the diffuser.

104. (Previously presented) The apparatus of claim 103, wherein the light source comprises one or more laser diode bars.

105. (Currently amended) A dermatologic treatment apparatus, comprising
a light source comprising a plurality of laser diodes providing a plurality of light pulses with an output fluence of at least $4\text{-}100 \text{ J/cm}^2$ at a target area on a patient and having sufficient fluence to effect a hair removal dermatological treatment at a the target area ~~on a patient~~,
optical apparatus, having an outlet, that communicates the light pulses substantially across the outlet;
an optical diffuser for diffusing the light received from the outlet so that the light pulses emitted from the apparatus are eye safe for the patient.

106. (Previously presented) The apparatus of claim 105, wherein the optical diffuser comprises at least one of a group comprising a transmissive diffuser and a reflective diffuser.

107. (Previously presented) The apparatus of claim 105, wherein the light source is divergent.

108. (Previously presented) The apparatus of claim 107 wherein the optical apparatus comprises a mixer for distributing light substantially uniformly at the outlet.

109. (Previously presented) The apparatus of claim 107, wherein a principal optical axis of light emitted by the light source striking the diffuser is not parallel to the normal of the surface of the diffuser.

110. (Previously presented) The apparatus of claim 109, wherein the optical diffuser comprises a transmissive bulk diffuser.

111. (Currently amended) A dermatologic hair-regrowth-inhibiting apparatus, comprising

- a light source comprising one or more laser diodes configured to produce pulses of light in a hair-regrowth-inhibiting procedure wherein the pulses are of sufficient fluence to inhibit hair-regrowth in a target area of a patient;

- a mixer, having an outlet, for substantially uniformly distributing light from the light source across the outlet;

- a diffuser, disposed to receive light from the outlet, for diffusing the light sufficiently that the pulses of light emitted from an output of the diffuser are eye-safe at all distances while remaining of sufficient fluence to inhibit hair-regrowth in the target area of the patient; and

- wherein the majority of the fluence of the light pulses is within a spectral band of 500 nm to 1100 nm, the pulses have a pulse duration between 10 milliseconds and 1 second, and the fluence of the pulse at the target area is between 4 J/cm^2 and 100 J/cm^2 .

112. (Previously presented) The apparatus of claim 111 wherein the optical diffuser comprises a transmissive bulk diffuser.

113. (Previously presented) The apparatus of claim 111 wherein the light source is divergent.

114. (Currently amended) A dermatologic apparatus for removing hair comprising a divergent light source comprising a plurality of laser diode bars each comprising a plurality of laser diode emitters and configured to produce pulses of light substantially within the spectral band of 500 nm to 1100 nm to effect hair removal in a target area of a patient, the pulses of light having a fluence at the target area between 4 J/cm² and 100 J/cm² and each pulse having a pulse duration between 10 milliseconds and 1 second~~and a fluence at the target area between 4 J/cm² and 100 J/cm²,~~

a mixer, having an outlet, for substantially uniformly distributing the light pulses across the outlet, and

a bulk transmissive diffuser, disposed to receive light from the outlet, for diffusing the light sufficiently that the pulses of light emitted from an output of the diffuser are eye-safe.